

Appln. No. 10/638,158

Amendment dated February 1, 2005

Reply to Office Action mailed November 2, 2004

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims (deleted text being struck through and added text being underlined):

1. (Currently Amended) A siding installation guide tool comprising:
a clamp assembly, said clamp assembly having closable jaws whereby said clamp assembly is adapted for coupling to a first piece of siding;
a guide assembly having a support member, said support member having a bearing portion whereby said support member is adapted for supporting a second piece of siding adjacent to the first piece of siding when said clamp assembly is coupled to the first piece of siding, said guide assembly being slidably coupled to said clamp assembly such that said support member is positionable at a selectable distance from said clamp assembly;

wherein said guide assembly includes a collar member coupled to said clamp assembly; and

said guide assembly further including an extension member slidably inserted through said collar member.

2. (Original) The siding installation guide tool of claim 1 wherein said clamp assembly includes a stop plate coupled to one of said jaws for abutting the first piece of siding to facilitate consistent placement of the first piece of siding between said jaws.

3. (Original) The siding installation tool of claim 1 wherein said clamp assembly has a locking assembly for locking said jaws in place.

Appln. No. 10/638,158

Amendment dated February 1, 2005

Reply to Office Action mailed November 2, 2004

4. (Original) The siding installation tool of claim 3 wherein said locking assembly is adjustable for setting a distance between said jaws when said clamp assembly is in a closed position.

5. (Original) The siding installation tool of claim 4 wherein said locking assembly includes a screw member for adjusting said distance between said jaws when said clamp assembly is in said closed position.

6. (Original) The siding installation tool of claim 1 further comprising:

an annular member coupled to said clamp assembly whereby said clamp assembly is adapted for being hung from said annular member.

7. (Original) The siding installation tool of claim 5, further comprising:

an annular member coupled to said clamp assembly whereby said clamp assembly is adapted for being hung from said annular member, said annular member being coupled to said screw member for facilitating rotating said screw member.

8. (Original) The siding installation tool of claim 1 wherein at least one of said jaws includes a protective covering material for inhibiting marring of the first piece of siding.

9. (Cancelled)

10. (Currently Amended) The siding installation tool of claim ~~9~~ 1 further comprising:

said guide assembly including a locking means coupled to said collar member for selectively locking said extension member into a static position relative to said collar member.

Appln. No. 10/638,158

Amendment dated February 1, 2005

Reply to Office Action mailed November 2, 2004

11. (Original) The siding installation tool of claim 1 wherein said support member includes a distal flange extending from said bearing portion whereby said guide assembly is adapted for holding the second piece of siding against a structure while said bearing portion supports the second piece of siding.

12. (Original) The siding installation tool of claim 11 wherein said distal flange has an outwardly flared edge for facilitating insertion of the second piece of siding between said support member and the structure.

13. (Original) The siding installation tool of claim 1 wherein said jaws include an upper jaw and a lower jaw, said lower jaw having a beveled distal edge for facilitating insertion of said lower jaw between the first piece of siding and a structure.

14. (Currently Amended) The siding installation tool of claim ~~1~~ 11 wherein said distal flange includes a protective covering material on an interior face of said distal flange for inhibiting marring of the second piece of siding.

15. (Currently Amended) The siding installation tool of claim ~~9~~ 1 wherein said extension member is arcuate.

16. (Cancelled)

17. (Cancelled)

18. (Original) The siding installation tool of claim 1 wherein said closable jaws each have a width of about 3 inches.

Appln. No. 10/638,158

Amendment dated February 1, 2005

Reply to Office Action mailed November 2, 2004

19. (Currently Amended) The siding installation tool of claim 9 1 wherein a conduit extending through said collar receives said extension member, said conduit being angled relative to said clamp assembly whereby said collar is adapted for preventing gaps from forming between said support member and an upper portion of the first piece of siding.

20. (Original) The siding installation tool of claim 1 wherein said clamp assembly includes a handle portion, said handle portion extending away from said closable jaws at an angle between about 35 and 50 degrees for facilitating grasping of said handle portion during use.

New Claims:

21. (New) A siding installation guide tool comprising:

a clamp assembly, said clamp assembly having closable jaws whereby said clamp assembly is adapted for coupling to a first piece of siding;

a guide assembly having a support member, said support member having a bearing portion whereby said support member is adapted for supporting a second piece of siding adjacent to the first piece of siding when said clamp assembly is coupled to the first piece of siding, said guide assembly being slidably coupled to said clamp assembly such that said support member is positionable at a selectable distance from said clamp assembly; and

wherein said guide assembly includes an extension member slidably mounted to said clamp assembly, said extension member being arcuate.

22. (New) The siding installation tool of claim 21 wherein said extension member arcs toward said closable jaws of said clamp assembly.

23. (New) The siding installation tool of claim 21 wherein said extension member is arcuate in a plane substantially perpendicular to a plane of one of said closable jaws of said clamp assembly.